

## SuperBoard – Interactive Digital White Board



Operation office: 16B Xinhai Building, Nanshan Road,  
Nanshan, Shenzhen, China P.C.: 518052  
Tel: +86-755-26493281, 26493330  
Fax: +86-755-26493280  
Email: [dowell@dowellindustrial.com](mailto:dowell@dowellindustrial.com)  
Website: [www.dowellhk.com](http://www.dowellhk.com)

## ◆ Function of SuperBoard

### 1. Powerful Touching Function

Connected with computer and projector, SuperBoard is a large touching screen, through which you can operate the computer directly. Touched the menu on the screen with your finger, the corresponding content is displayed right away. For example, touched “my computer”, it will display the inclusive file folder, file etc. The audience can see the operating process straightway and it brings an excellent demonstration effect.



### 2. Abundant Writing and Drawing Function

Connected with computer and projector, SuperBoard becomes an interactive writing board. After the content in the computer is projected on the white board, the lecturer can remark or amend directly on the white board, save into the computer at the same time, and print out at any time. This function leaves out the annoyance of taking a note and makes you listen to the lecture intently.



Operation office: 16B Xinhai Building, Nanshan Road,  
Nanshan, Shenzhen, China P.C.: 518052

Tel: +86-755-26493281, 26493330

Fax: +86-755-26493280

Email: [dowell@dowellindustrial.com](mailto:dowell@dowellindustrial.com)

Website: [www.dowellhk.com](http://www.dowellhk.com)


### 3. Convenient Long-distance Communion Tool

Connected one or more pieces of SuperBoard to internet or LAN, it can realize the mutual resource share through software of NetMeeting etc, no matter wherever you are. The content you write on the white board can be displayed on the white boards at other places immediately, also, the attendee of the meeting at other places can amend the content through SuperBoard, actualize the network communication authentically.



### 4. Acted as Simple Writing Board

Under the condition of power cut, SuperBoard is a simple writing board, it can be written and erased with any water marker.



Operation office: 16B Xinhai Building, Nanshan Road,  
Nanshan, Shenzhen, China P.C.: 518052  
Tel: +86-755-26493281, 26493330  
Fax: +86-755-26493280  
Email: [dowell@dowellindustrial.com](mailto:dowell@dowellindustrial.com)  
Website: [www.dowellhk.com](http://www.dowellhk.com)

### ◆Character of SuperBoard

- > All structural accessories are shaped by plastic or metal moulding in decent and exalted design. 1.
- > Adopted the special wearable and low reflected material for surface, it can be used as projector screen without facula, and written or erased by water marker directly.
- > It is safe and environment protected. It does not need the special pen and without electromagnetic disturbance or radiation.
- > Designed in considering of human habit, it imitates the habit of lecturer mostly, writing with pen and erasing with eraser very conveniently.
- > With different writing colors, four settled colors and another 16 user-defined colors, it makes the writing content more striking.
- > The thickness of writing can be adjustable as per the request.
- > With keyboard and mouse right side function, SuperBoard combine the display, keyboard and mouse together, the lecturer operates the computer on screen completely just like sitting before the computer.

### ◆Application of SuperBoard

- > Conference
- > Training
- > Demo
- > Press Release
- > Technical Intercommunion
- > Project Discussion
- > Teledata Conference
- > Distance Teaching
- > Medical Treatment Consultation

### ◆Technical Data of SuperBoard

Model No.: DWB-74A Working Area Size: 74" (diagonal) 1127mm (W) X 1503mm (L)

1. Hardware Platform: Desktop PC Notebook PC
2. Software System: WIN95/98/2000/NT/XP/Me
3. Voltage: AV100 ~ 240V, 50~60Hz
4. Controller Voltage: +5VDC $\pm$ 5% 2A
5. Communication Mode: RS232 (9600bps)
6. Response Rate: <100ms
7. DPI: 4096 X 4096
8. Touching Point Error: <3mm

Operation office: 16B Xinhai Building, Nanshan Road,  
Nanshan, Shenzhen, China P.C.: 518052  
Tel: +86-755-26493281, 26493330  
Fax: +86-755-26493280  
Email: dowell@dowellindustrial.com  
Website: www.dowellhk.com

- 9. Working Temperature: 0 ~ 40° C
- 10. Working Humidity: 20% ~ 90%
- 11. Storage Temperature: -30 ~ 50° C
- 12. Storage Humidity: 10% ~ 95%
- 13. Touching Point Life >1,000,000 times (More than 10 years)
- 14. Touching Pressure: 100—200g

#### ◆Packing Details

- > 1 set= Whiteboard +Bracket
- > Ctn Size /Bracket: 2020\*610\*160mm
- > N.W: 38 kgs
- > G.W.: 40 kgs
- > Ctn Size / White Board: 1740\*1420\*270 MM
- > N.W.: 45 kgs
- > G.W.: 50 kgs
- > Qty /20': 30 Sets